

Ly/mem

METALLIC SIGHTS RELOADING AND BULLET CASTING EQUIPMENT SHOTGUN CHOKES

SPARTAN C-PRESS

This rugged massive 11 lb heavy-duty iron frame press will provide years of service at a real economy price. The Spartan press reloads all rifle and pistol cases quickly, accurately and easily Its powerful toggle-link mechanism multiplies the force applied to the handle 25 times and takes the hard work out of full length resizing and case forming. The Spartan reflects strength and quality throughout and gives you value plus at a sensational low price

- Uses Lyman All American (standard 7/8" x 14") dies
- Simple changeover to either up-or down stroke






The SPAR-T TURRET PRESS

The Lyman SparT Press combines the maximum speed of turret loading with the operating ease, and strength, of the ever popular C Frame Press It's massive frame and 6 station Turret, are ruggedly constructed of high silicone, iron-steel castings (not aluminum alloy). It's new VertiLock Turret is firmly secured to the frame by a heavy duty 3/4 steel stud Positive stop audible click action insures fool proof cartridge to die alignment and rapid operation. Uses standard 7/8 x 14 dies.

• Powerful toggle link leverage (25 to 1) • UP or DOWN STROKE operation. • Alignment ramp positions Shell Holder at top of stroke. • Uses standard Spartan accessories.

		ALL AMERICAN 7/8 x 14 DIES Standard Die Sets:
Spar-T Press w/ram & Priming Arm	\$55.00	2 die Rifle \$16.
Sparton Press w/ram & Priming Arm	\$28.00	3 Die Rifle \$19.
"X" Shell Holder Head	\$ 3.50	3 Die Pistol \$19. De Luxe Die Sets
		2 Die Rifle \$19.
Automatic Primer Feed (Specify Spartan or	410.00	3 Die Rifle \$22.
Spar-T)	\$10.20	3 Die Pistol \$30.





LYMAN ALL AMERICAN TURRET RE LOADING PRESS is the champ for reloading rifle and pistol cartridges, the easy way By combining maximum speed with maximum ruggedness, fine ammunition is produced fast and accurately All American 7/8' x 14 chrome plated dies are used in this press, or Ideal Dies with a %" x 14 Adapter Die

ALL AMERICAN TURRET A A Turret Press (less dies) \$76.00 Push Button Primer Feed \$16.50

ALL-AMERICAN DIE SETS 7/8" x 14 Standard Die Sets 2 Die Rifle W & U \$16.50 3 Die Rifle W 1, M & U \$19.50 3 Die Pistol YD M & U \$19.50 DeLuxe Die Sets 2 Die Rifle W, PA \$19.50 A Adapter die 3 Die Rifle WI, M & PA 3 Die Pistol TC, M & U \$30.50 U Bullet seating ch and screw \$ 6.75 W FL Resizing, Decapping and Expanding \$10.00 WIFL Resizing, Decapping \$ 8.50 YD F L Resizing, Decapping PA Precision Alignment bullet seating and crimping TC Tungsten Carbide resizer and decapping M Expanding Chamber & Plug \$ 5.00 X Shell holder Spartan, Spar-T \$ 3.50 J Shell Holder TL, Jr, AA Turret \$ 3.50 T Priming Punch TL Jr., AA Turret

IDEAL NO. 310 TOOL performs reload ing operations on metallic pistol or rifle cartridges with Ideal dies This low cost portable tool is a favorite among smaller quantity reloaders, and those who desire a complete reloading outfit that is compact and handy for use at the rifle range or a hunting trip No. 310 Tool handles are equipped with an adjustable extract or hook so that many types of rimmed or rimless cases can be processed in the same handles

310 Tool Comp

C Priming Chamber

E Double Adjustable ch and

seating screw \$ 5.30

F Expanding chamber & Plug \$3.30

O Muzzle resizer & decapping rod \$ 6.00

TRULINE IR \$26.00 TRU-LINE JUNIOR DIES 310 Handles, Large or Small \$ 8.00 2 Die Rifle set K&E or S&E \$12.00 310 Die Set \$18.50

— cartridges and following rifle 30/M1, 32/20, 38/40, 44/40

E Seating and Crimping

F Expanding ch & Plug S Neck resizing, decapping & expanding R Full length resizing and decapping DECAPPING PINS K Full length resizing, decapping Fit All Ideal, Tru-line, All-American Dies and expanding \$ 2.20 Package of 10 \$1.50 O Neck resizing and dec

press produces accurate and reliable am munition with a minimum of effort and time It uses any standard Lyman Ideal dies with the exception of the No 310 Tool priming chamber In place of this

IDEAL TRULINE JR bench reloading

				44044						
				dies						
				, hu						
I	roc	esse	ed w	itho	ut cl	nan	ging	th	e c	lies
le	#5	55 P	owde	er M	easu	re o	can	be	mo	unt
1	n t	urre	t alo	ong	with	die	es.			


		IKUI	TIME	JR.		
Tru Line	Jr	Press	(less	dies)		\$30.00
-	DII	LINE	HILINIA	OR DI	EC	

for	fo	llowii	ng cal	218	Bee,	22 H	Iornet,
22	K	Horne	t, 222	Rem	, 222	Rem.	Mag.
223	Re	em , 2	5/20, 2	256 W	in		
3 [Die	Rifle	Set O	, F, E			\$13.50
for	fo	llowi	ng ca	1: 33	Win,	35	Win,

2 Die	Rifle	e Die	Set	5 &	Ε.	0.4		. \$12.00
for al	1 oth	er c	al.					
3 Die	Set f	for a	II Pis	stol I	R, E	&	F	. \$13.50



LYMAN RELOADING ACCESSORIES



- 505 grain capacity
- One tenth of a grain sensitivity
- Beam calibrations, 500 x 5 grains, 5 x 0 1 grain
- Hardened steel pivots

IDEAL NO 55 POWDER MEASURE has precision adjustments for mea

suring desired powder charge accurately Han-dles all commercial powders both black

and smokeless and transparent chamber

shows powder level Drop tube is threaded to allow mounting the

measure in the Tru Line Jr turret or other

presses with 1/8

Extra Drop Tubes Large or small \$

adapter

· High polished, free floating genuine

THE M-5 LYMAN



OHAUS SCALE

M5 OHAUS PORT A WEIGH

Magnetic damper — speeds weighing by minimizing beam oscillations No oil well to be come clogged or to spill 1000 grain capacity allows user to weigh large shells Deep dish pan with pouring spout Leveling screw in base Almanox bearings retain accuracy for life of scale Self contained carrying case— Easy portability can be used anywhere \$32.50



ADJUSTABLE POWDER AND SHOT DIPPER

For measuring bulk smokeless and black powder (in grains) as well as lead and copper ized shot (in ounces)

PRIMER POCKET REAMER

AGATE bearings

FULL LENGTH HAND RESIZER

· Zinc, die cast base with corrosive re-

• Brass, nickel plated leveling screws

· Magnetic damping supplied by Alnico



· Aluminum pan and bow

sistant paint finish

V Magnet

Full length resizes cartridges restoring ex pended fixed cartridges to original dimensions. Can be used manually or installed in any workshop vice (Shown in cutaway view) \$600

INERTIA BULLET PULLER



Quickly and easily removes bullets from car-



Cleans and removes rough metal eages from a primer pocket This tool is a must for military type primers Order correct size (large or small — see priming punch size in cartridge table on page 21)

POWDER FUNNEL

\$26.50

\$1.50



This clear plastic powder funnel is designed to fill cases from 22 Hornet through 45.70 without inserts or adjustments \$1.20

SIZE EZY LUBRICANT



Sizing lubricant in convenient tube packages Lubricant is applied lightly to cases before resizing

Price

SHELL CHAMFERING REAMER



Tapers case mouth for easier bullet seating \$1 25 per tube One size adapts to all cartridges



Lyman BULLET CASTING EQUIPMENT

For No 45 Bullet Lubricator and Sizer

Dies "H" & "I"

\$6.30 per M 8.00 per M

Consists of top punch die 'G' sizing die 'H' and bottom punch die 1 Available in the following bullet diameters 222 223 224, 225 226 228 243 244, 245, 258, 259 263 264 266 277 278 280 284 285 287

299 301 308 309 310 311 312 313 314 315

316 318 319 320 321 322 323 325 338 340 348 350 352 354 355 356 357 358 359 360

366 375 377 378 379 380 386 400 401 403

431 434 439 446 450, 451 552 454 456 457

Note Specify cast bullet number and required sized

diameter when ordering "G", "H", and "I" dies GAS CHECKS Fitted to the base of cast bullets gas checks — gilding metal caps — protect bullet bases from hot powder gases in

the barrel permitting higher breech pressures and velocities Only Lyman gas checks should be used with Lyman cast bullets Easily seated during the bullet sizing operation with Lyman Equipment State Caliber

459 509 512 515 (580 Lub only)

\$2.50

410 412 419 424 425 427 428 429 430

NO. 45 BULLET LUBRICATOR AND SIZER Its powerful leverage sizes the bullet, forces lubricant under pressure into the bullet grooves, and will seat gas checks, if required - all in one rapid accurate operation. Adaptable to all bullets by changing bullet sizing die sets. Die set consists of top punch die "G", bullet sizing die "H", and bottom punch die "I", No other press offers comparable production capacity at a comparable price. Use with Ideal Bullet Lubricant Price

No 45 Bullet Lubricator and Sizer only (less dies) One set of "G", "H", and "I" bullet sizing dies (specify cast bullet number and required sized diameter)

G, H, I DIES

Price. Die "G"



IDEAL SINGLE, DOUBLE and 4 CAVITY BUL LET MOULDS are strong lightweight cool and easy to handle Mould blocks for hundreds of different bullets are available Precision machining and finishing to closest tolerances allow bullets that are uniformly perfect. The Double Cavity Mould casts two bullets at each pouring — the Four Cavity is ideal for fast production

Single Cavity Block Only	\$11.50
Hollow Point or Hollow Base	20.00
Single Cavity Handles	6.00
Double Cavity Block Only	18.00
Double Cavity Handles	6.00
Four Cavity Blocks Only	24 75
Four Cavity Handles	6.00
Note Double Courty and Four Com	ter mat



BULLET SIZING CHAMBER AND PLUG For use with the 310 reloading tool. Reduces cast bullet diameter as required for use. Available in the following bullet diameters

223	224	225	226	228	244	245	257	258	263
266	278	280	285	287	299	301	308	309	311
312	313	315	320		322		338	350	356
357	358	359	360	366	386	400	401	403	410
412	424	427	428	429	430	431	448	450	451
452	454	456	457	509	512	515			

Price

Bullet Sizing Chamber and Plug (specify bullet \$5 00 number and required sized diameter

LEAD POT AND HOLDER Cast iron pot and holder for

melting lead al loy using any source of heat t capacity is keeps pot secure and level pre-vents lead from splashing on stove or burner Price

Pot



22 cal thru 38 44 and 45 cal

IDEAL BULLET LUBRICANT

Special grease developed espe cially for use as a cast bullet lubri cant One stick lubricates 2500 small or 500 large bullets Price

Ideal Bullet Lubricant Highest Quality Graphite



BULLET CASTING SET has everything for casting and preparing lead alloy bullets for low cost accurate cardridges A wide choice of Ideal bullet designs is available for any type of shooting


and target shooters!

Lyman Reloading Hand Book No 44 (packed in dozen lots with display) \$4.50



NEW!!





LYMAN 44 RELOADING HAND BOOK with ten big color sections blankets every phase of shooting It's easy to learn how to reload your own custom ammunition and save money Two hundred pages of fascinating facts and data on reloading ammunition for rifles pis tols shotguns making bullets muzzle loading, international shooting. The bible for hunters and target shooters!

The Bullet Casting Set includes an Ideal No.

45 Bullet Lubricator and Sizer with Sizing dies for one bullet style a Single Cavity Bullet Mould for any solid base or point Ideal Bullet design desired a Lead Pot Lead Pot Lead when required

LETS is a must for every serious shooter' Traces the fascinating history of bullets Presents the most complete data and facts ever seems the most complete data and facts ever assembled on how to cast bullets for every need You il discover how you can make your own bullets at a fraction of normal cost that when required

A5500



Lyman RELOADING DIES

ALL-AMERICAN TRU-LINE JR 310

The listing below shows the popular calibers available in either All-American, Tru Line or 310 Dies For less popular calibers, not listed, write for information. Asterisk preceding the caliber indicates that reloading dies for this cartridge are available in 3 Die Sets only.

Shell Holders			(*) Available in 3 Die		(S) Small (L)	Large		
Rifle Cartridges		Shell Holders	Priming Punch "T" (Spartan & Spar T	310 Handle				
218 Bee	Rifle Cartridges	"J" type Spartan	Use universal type)			"J" type Spartan		
229 Jüpper			S				L	S
22 Hornet			S	S			Ļ	
22 / 250 Varminter			L	L			Ļ	Ļ
22 Say Hi Power			2				L	L
222 Swift			ī		8 M/M Lebel		Ĺ	i
2222 Rem 126 X26 S S 338 Win 113 X13 L L		J5 X5	ĩ				Ĺ	Ĺ
224 Weatherby			S	S			L	L
224 Weatherby			S	S			L	
225 Win. 15			2	2			L	-
243 Win	225 Win.	J5 X5	i	S	35 Whelan	J2 X2	Ĺ	I.
25/20 Repeater	243 Win	J2 X2	Ī.			115 X15	Ĺ	Ĺ
25/20 Repeater		J2 X2	Ļ	L	350 Rem. Mag.		L	L
25 27 28 28 28 28 29 29 20 20 20 20 20 20			L	Ĺ	9 M/M Mann Schoe		2	2
25/35 Win 16 X6 L L 358 Norma Mag J13 X13 L L 250/3000 Sav J2 X2 L L L 375 Weatherby J13 X13 L L Z56 Win J15 X15 S S S S S S Weatherby J13 X13 L L S S S S S S S S S S S S S S S S S	25/20 Single Shot			2	358 Win	J2 X2	1	Ĺ
250/3000 Sav	25/35 Win		Ĺ			J13 X13	Ĺ	Ĺ
25 Rem		J2 X2	Ĺ	L			L	L
6 5 M / M Jap				L			L	L
6 5 M / M Jap			S	S	*38/55		L	2
6 5 M / M Jap			Ĺ	L	*401 Win S.L.	J2 X2	Ĺ	S
65 x 54	6.5 M/M Carcano	J28 X28	Ĺ				Ĺ	Ľ
6 5 x 55 Swedish 127			Ĺ				Ļ	Ļ
264 Win	6 5 x 54		ŗ	L	44 / 40 Win		Ļ	L
270 Win 12 X2 L L *45/70 117 X17 L L L 270 Weatherby 113 X13 L L *458 Win J13 X13 L L L *145 Win J13 X13 L L L *15 Win X13 X13 L L X12 X13 X13 L L *30 Luger J12 X12 X12 X12 X12 X12 X13 X13 L L *30 Mauser J12 X12 X12 X12 X12 X13 X13 L L *30 Mauser J12 X12 X12 X12 X12 X13 X13 L L *32 Sa W Long J9 X9 X9 X9 X9 X9 X9 X9			L		*444 Marlin		ì	3
270 Weatherby		J2 X2	ī			J17 X17	Ĺ	Ĺ
7 No. Sharp & Hart	.270 Weatherby	113 X13	Ĺ			J13 X13	L	L
7 M/M Mauser (7 x 57)			L		*22 Rem let	I1 X1	2	2
7 M/M Weatherby J13 X13 L L L 330 Mauser J12 X12 S S S 7 M/M Carcano J28 X28 L L 32 Colt N P J9 X9 S S S 7 62 M/M Russian J16 X16 L L 32 Colt N P J9 X9 S S S 7 62 M/M Russian J16 X16 L L 32 Colt N P J9 X9 S S S 7 65 Argentine J8 X8 L L L 32 Colt N P J9 X23 X23 S S S S 7 65 Argentine J2 X2 L L 332 Auto J23 X23 S S S S S S S S S S S S S S S S S S S			Ļ	Ļ	*30 Luger		Š	S
7 35 M/M Carcano 128 X28 L L 2 32 S & W Long 19 X9 S S S 7 62 M/M Russian 116 X16 L L 32 Colt N P 19 X9 S S S 7 65 Argentine 18 X8 L L 2 32 Auto 123 X23 S S 7 65 Argentine 18 X8 L L 2 32 Auto 123 X23 S S S 7 7 1 Jap 12 X2 L L 2 357 Mag 11 X1 S S S 2 280 Rem 12 X2 L L 2 357 Mag 11 X1 S S S 2 284 Win 12 X2 L L 2 38 S & W 121 X21 S S S 2 30/30 Win 12 X2 L L 2 38 S & W 121 X21 S S S 2 30/30 Win 19 X19 S S S 38 Colt Auto 112 X12 S S S 30/30 Win 19 5 X15 L L 38 S S Colt Auto 112 X12 S S S 30/30 Win 19 5 X15 L L 38 S S Colt Auto 12 X12 S S S 300 Weatherby 113 X13 L L 38 S S Colt Auto 126 X26 S S S S S S S S S S S S S S S S S S S	/ M/M Kem Mag		L	L	*30 Mauser		S	S
7 62 M/M Russian 116 X16 L L 232 Auto 123 X23 S S S 7 65 Argentine 18 X8 L L L 324 Auto 123 X23 S S S 7 65 Argentine 18 X8 L L L 327 O 110 X10 S S S 7 7 Jap 12 X2 L L L 3357 Mag 11 X1 S S S 284 Win 12 X2 L L L 3357 Mag 11 X1 S S S S 300 M Carbine 119 X19 S S S 38 KW 121 X21 S S S 300 M Carbine 119 X19 S S S 38 Colt Auto 112 X12 S S S 300 M W			ĺ	i i	*32 S & W Long		S	S
7 65 Argentine			Ĺ	Ĺ	*32 GOIT N P		S	S
7.7 Jap		18 X8	L	L	*32/20		S	S
284 Win		J2 X2	L	L	* 357 Mag	J1 X1	S	S
*30 X Y		JZ XZ	L		*9 M/M Luger		S	S
30/30 Win		J19 X19	Š	S			S	S
30 Rem.		J6 X6	Ľ	Ľ	*38 Snec		2	2
300 Sav. J2 X2 L L L *38/40 (revolver) J14B X14B L S 300 Weatherby J13 X13 L L L *41 Colt J14LC X14LC S S S 300 Win Mag J13 X13 L L L *41 S & W Mag J30 X30 L S 300 Win Mag J13 X13 L L L *44 S & W Russian J7 X7 L S 308 Win (7 62 Nato) J2 X2 L L L *48 S & W Russian J7 X7 L S 308 Norma Mag J13 X13 L L L *44 Spec J7 X7 L S 30/06 J2 X2 L L L *44/40 J14B X14B L S 30/06 J2 X2 L L L *44/40 J14B X14B L S 30/40 Krag J7 X7 L L *45 Auto Rim J14A X14A L S 30/30 Sav J7 X7 L L *45 Colt Auto J2 X2 L S 303 British J7 X7 L L *45 Colt Auto J2 X2 L S 303 British J7 X7 L L S *45 Colt J11 X11 L S			L		* 380 Colt Auto		Š	S
300 Weatherby 113 X13 L L 2 41 Colt 114LC X14LC S S S 300 Win Mag 113 X13 L L 2 41 S & W Mag 130 X30 L S 300 Win Mag 113 X13 L L 44 S & W Russian 17 X7 L S 308 Win (7 62 Nato) 12 X2 L L 44 S & W Russian 17 X7 L S 308 Norma Mag 113 X13 L L 4 48 S & W Russian 17 X7 L S 307 Norma Mag 113 X13 L L 5 44 Mag 17 X7 L S 307 Norma Mag 17 X7 L S 307 Norma Mag 17 X7 L L 5 307 Norma Mag 17 X7 L S 307 Norma Mag 17 X7 L L 5 307 Norma Mag 17 X7 L S 307 Norma Mag 17 X7 L L 5 307 Norma Mag 17 X7 L S 307 Norma Mag 17 X7 L L 5 5 Colt Auto 17 X7 L S 308 Norma Mag 17 X7 L L 5 5 Colt Auto 17 X7 L S 308 Norma Mag 17 X7 L L 5 5 Colt Auto 17 X7 L S 308 Norma Mag 17 X7 L L 5 5 Colt Auto 17 X7 L S 308 Norma Mag 17 X7 L L 5 Colt Auto 17 X7 L S 308 Norma Mag 18 X14B		J2 X2	L		*38/40 (revolver)	J14B X14B	Ĺ	S
300 Win Mag			L	L			S	S
308 Win (7 62 Nato)	300 Win Mag		Ĺ	Ĺ	*11 5 & W Mag		Ļ	2
308 Norma Mag	308 Win (7.62 Nato)	12 X2	Ĺ		*44 Spec.		Ĺ	3
30/06			L	L			Ĺ	S
307 40 Mag		J2 X2	L	L	*44/40	J14B X14B	Ĺ	S
303 British J7 X7 L L *45 Colt J11 X11 L S		J/ A/ 17 X7	i i				Ļ	S
- 40 corr 311 VII [2		J7 X7	ĭ				Ļ	S
*455 Webley J13 X13 L S								S

NEW IMPROVED ALL-AMERICAN DIE SETS

All American Dies are designed for use with the Lyman Spartan, Spar T, AA Turret, and all other reloading presses having %" x 14 thread die stations. They are carefully constructed of high grade "first quality" steel. They are polished to a mirror smooth interior finish and hardened to produce a finished, sized cartridge case which will chamber freely in any standard firearm.

			STANDARD		DELUXE	
3	Die	Rifle		\$19.50	2 Die Rifle 3 Die Rifle 3 Die Pistol	\$22.50
			Refer to 1	page 3 for	or individual listing	



Lyman SHOTGUN CHOKES

CUTTS COMPENSATOR





The Cutts Compensator consists of three basic parts the adapter, the expansion chamber, and the choke tube Compensator tubes provide the chokes needed for full range pattern control. The Cutts reduces recoil, and lesssns abuse to the shooter. Choke tubes are available for every type of shooting — from skeet, and those close in, upland targets such as grouse and woodcock to long passing shots at waterfowl. These tubes are pocket size, light, very easy to change. The Cutts turns any single barrel pump or autoloader into a truly versatile weapon. With a Cutts, your patterns are just right for the range, just right for the target!

Price:

Cutts Compensator complete with single choke		604 (0
tube of your choice, adapter and wrench		\$24.0U
Cutts Compensator with adjustable tube		34.00
Single pattern tubes		4.95
Single pattern tubes		14 05
Adjustable tube		14.00
Factory installation (transportation extra)	e = 11	7.00




BUCKSHOT & SLUGS USE IMPROVED CYLINDER

Check the chart above for the Cutts Compensator selections available in the gauge of your gun. Only a steel compensator can be installed on 410 gauge and 28 gauge Remington Model 11 48 shotguns. Special in stallation procedures have been developed for the Winchester Model 59.

With a Lyman Choke you can get rigid pattern control, lower recoil, and the quick-change versatility that adapts one shotgun to all your shotshell shooting needs. Built to last for a lifetime of good shooting, the Lyman Choke provides the shooter with many of the outstanding features and versatilities of the Cutts Compensator at a lower price.

rice:

1 - 100	
LYMAN CHOKE TUBE OF YOUR CHOICE COMPLETE With Adapter less Recoil Chamber	7.95
LYMAN CHOKE TUBE COMPLETE With Adapter and Recoil Chamber	11.65
LYMAN (ADJUSTABLE) CHOKE TUBE COMPLETE	
With Adapter less Recoil Chamber	18.85
LYMAN (ADJUSTABLE) CHOKE TUBE COMPLETE With Adapter and Recoil Chamber	22.50
ADAPTER Only	3.00
RECOIL CHAMBER	3.70
SINGLE PATTERN TUBES	4.95
Factory Installation (Transportation extra)	7.00



Adapter to Fit Recoil Chamber to Barrel Available in the Following Sizes

12 Gauge 795 812 825, 840 Spec adapter for Win 59

16 Gauge 740 765

20 Gauge 690 715




Meet the complete family of Lyman All-American hunting scopes

One or more of these fine scopes is made to-order for you - your rifle your kind of shooting On the preceding pages you have seen why each scope is more than worth the extra price it commands Think of it in terms of the shot of a lifetime - and a lifetime of shooting

Select your scope on the basis of power, or magnification The lower powers will give you widest fields of view excellent for snapshots of running game or deer stalking in dense woods The higher powers with their narrow fields come into their own for long-range big-game hunting and varmint shooting in particular

There is no hard-and-fast rule when it comes to scope power Four power scopes are generally considered best for all-around hunting but many shooters prefer the panoramic view and easier holding of the lower powers And other shooters will swear by the superb accuracy they derive from the high magnification of their scopes - even though the range is moderate and the game fair-sized

The scopes shown here are matched to typical shooting situations you, the shooter. know what's best for you!



Lyman All American 2½X for big game, close in brush country where wide field-of-view (44) at 100 yards permits easy "off hand" shots at fast moving targets.



Lyman All-American . . steps up magnification from 2½ X, still offers 36 field-of view at 100 yards, fast sighting for running game. \$70.00



nan All-American preferred for est and plains nooting at big game. Ideal for distances of 75 - 300 yards and beyond, most often selected as "all-round" sight \$82.00



RIFLE

*FACTORY TAPPED AND DRILLED

Lyman All-American 6X ... perfect for big game at long range, small game and varmints to 300 vds., and where most shooting is done from rest or prone

\$88.50

Lyman All-American 8 and 10X scopes strictly long range shooting, finest for varmints

like crows, woodchucks, predators and other small animals where extremely accurate, pinpoint shooting 10x is an absolute requirement.



\$120.00 Add \$10 for Dot Reticele

Lyman Tru-Lock Mounts



Mounts Complete	\$13.50
Rings only	11.00
Set of bases (1 or 2 piece)	2.50




- Quickly Removable coin slotted screws clamp to base dovetails
- Close Fitting-mounts low to the receiver, doesn't interfere with metallic sights line of sight
- Accurate holds zero settings
- Rugged Tough alloy, light in weight
- Popular Sizes 1", 1023" (26 mm), % (and 22 mm), 34", bases for over 40 popular hi power
- Guaranteed Lyman backs these mounts for quality and dependability



1 Piece Base WINCHESTER *Model 70 (300 H&H 375 H&H and BF-10 BR-31 BF-10 BR 32 458 Win) REMINGTON *Model XP100 and 600 *Model 721 722 725 and 700 *Model 740 742 and 760 BR-30 B-2 MARLIN *Model 336 (All versions) *Model 455 B-1 BF-11 BR 33 *Model 99 (All versions including those with thumb safety) *Model 110 (Both right and left hand BF-12 BR-36 BR 35 BF 10 J. C. HIGGINS *Model 45 *Model 50, 51L and Western Field 750 BF-11 BR 33 HUSQVARNA *Husqvarna with large ring receiver *Husqvarna with small ring receiver *Model Hi Power (All except 243 and 308 BF 11 BR-33 cal) *Model Hi Power 243 and 308 cal) BF-15 BR-33 MAUSER Model 98 (All rifles which have large 1 410 dia receiver ring) Model 91 94 Swedish 93 95 33 Mexican (All rifles which have small BF-14 BR 34 1 300 dia receiver ring) *F N Mausers BF-11 BR-33 SPRINGFIELD Model 1903 and M22 Model 1903 A3 ENFIELD U.S. Model 1917 and British Pattern 14 British Lee Models (bases not avail) BF-10

BASE SELECTION CHART

LYMAN HAZE FILTER



The new Lyman Haze Filter was designed to help overcome poor hunting conditions, such as haze, mist, shade, etc. Impairing Target definition Literally it provides the hunter with a "pocketful of sunlight" to slip on the eyepiece of his scope

Packaged conveniently in pocket size plastic boxes and are made in four sizes to fit all popular scopes Each



STORM QUEEN LENS CAPS FOR LYMAN SCOPES

Protect lenses against damage Specify scope model when or dering

man gun sight of CANADA

METALLIC SIGHTS

FRONT & REAR

SIGHTING DISCS





NO 12 SLOT BANKS

These Blanks fill the standard 36' rear bar rel dovetail when a receiver sight is in stalled They are also available for front sight dovetails and ramps when a scope is being used Three lengths are available all fit standard 3/8 dovetails

No 12S (% x % long) for standard rear barrel slots No 12SS (% x 9/16 long) for standard front sight slots and some rear slots in narrow barrels No 12SF (% x 11/32 long) this blank has square ends and is

intended for use in ramps Price (all sizes)

17A TARGET FRONTS

Teamed with a Lyman receiver sight, these low silhouette from sights provide precise X ring accuracy on the range Designed for use with dovetail slot mounting they are supplied with seven interchangeable inserts (see descriptions below) that are locked into place with a threaded cap

Price Series	17A	Target	Front	Sight	Complete	with	Inserts	\$5.90
				SIGHT	HEIGHT*			
17AHI	wide	row bas e base		360 445	17XNA	user 03 S		360 733

77 TARGET FRONTS


*From bottom of dovetail to center of aperture

These versatile sights have features identical with those of the lower silhouette Series 17A models, but have the added advantage of being quickly detachable Available with dovetail or screw on base Sight height is 445 (77R) or 773 (77H) For total height above barrel add sight height to base height Supplied with seven

Trees outside and		,	
Price 77 Target From 77 Target From	nt Sight Comple	te with Inserts and Base te with Inserts Less Base	\$8 00 \$7 00

BASES FOR NO. 77 SIGHTS

Dovetail						Screw on						
4 4 4 4	=	185 260	K KK	==	300″ 370″	В	=	167 225 315			415 475	



INSERTS FOR USE WITH 17A AND 77 SIGHTS

Set includes two post type inserts (100 and 050 wide) five aperture type inserts (1 plastic 120 hole insert and four steel inserts with 070 093 110 and 120 holes)

Price Complete Set of Inserts for 17A or 77

LYMAN NO. 524 is precision made with positive windage and elevation adjustments Telescopic line

TARGET DISCS for NO. 524




SERIES 57

Designed for bolt action and other round receiver rifles

Identical in features and price, Lyman 57's and 66's offer many of the advantages of the Lyman 48 at a lower price They hug the receiver to provide the lowest line of sight and the least protrusion Series 57 and 66 sights are a favorite of shooters who use iron sights and a scope alternately Their strength compactness and finish make them a must for your favorite rifle These Series 57 and Series 66 sights can be fitted on a wide range of diff rifles See Sight Selection Chart or

Price: Series 57 and 66 Receiver





48 SIGHTS are precision instruments, designed and constructed to last a life time They have rugged features for hunting with accurate adjustments that make them equally at home on the target range Exclusive features put 48 Sights in a class by themselves


- 1 1/4 minute micrometer click adjust ments for windage and elevation free of lost motion Stayset knobs for hunting are optional
- 2 Quick release of slide assembly quick changeover to scope 3 Dovetail slot for maximum str
- and accuracy
- 4 Adjustable zero scales for both wind age and elevation Elevation Stop Screw for locating elevation zero is provided for use in connection with the quick release feature \$18.75



NO 60 SIGHTS - Brand new precision micrometer rear sights for use on popular medium weight small bore tar get rifles Feature positive position windage and elevation screws with precision ¼ minute adjustments — and "Stay tight" fit of extension arm and sight base Quick detachable extension rear sight permits choice of 3 positions



NO. 55RWS is a low priced sight for popular 22 caliber bolt action and other hunting rifles. It has strength and compactness to meet rigorous hunting requirements. \$7.00



SERIES 66

Designed for autoloaders pumps and lever actions with flat receivers

FEATURES Audible-click 1/4 minute micrometer adjustments for elevation and windage • Elevation slide is scribed in 3 minute increments • Quick release allows slide to be removed with a press of the release button • Elevation stop rew permits instantaneous return to o • Tslotted slide base construction vides a sturdy parallel fit for shoot accuracy • Choice of Stayset or nurled Target knob



SHOTGUN SIGHTS

Lyman shotgun sights are the finest available for all shotguns Equipped with oversized ivory beads that give perfect definition on either bright or dull days they are easy to see under any light conditions. They quickly catch your eye on fast upland targets and point out the lead or long assenge shots. Lyman chotgungishts lead on long passing shots Lyman shotgun sights are available with WHITE or RED bead, and can be fitted to your gun in minutes

16A 400 High elevates to 500 16B 345 High elevates to 445 16C 500 High elevates to 600

Price No 25 Base

STANDARD BASES

25A Base (Low) 25C Base (High)

25B Base

Note Radius

SPECIAL BASES

Fits factory screw holes on

Remington 740 742 760 725 and replaces factory

25D Base For small diameter barrels

top of bead are available.

Ramp Front Sight complete

Ramp only

Front sight only

No 18 - Ramp only

RAMPS — 18E High Ramp — Height 350 18C Med Ramp — Height 250 18A Low Ramp — Height 100

No 18 — Ramp complete with sight

NO 25 BASES

No. 16 LEAF SIGHT No. 25 BASE

HEIGHT from top of

BARREL to BOTTOM of DOVETAIL

125-

025-

BAND RAMP AND FRONT SIGHTS

BARREL SECTION

No 10 Front Sight (Press Fit) for use on double bar rel, or ribbed single barrel guns. Sight only \$1.30 No. 10D Front Sight (Screw Fit) for use on non ribbed single barrel guns These sights are supplied with a wrench Sight & Wrench only \$2.50

No. 11 Middle Sight (Press Fit) This small middle sight is intended for use on double barrel and ribbed single barrel guns Sight only



When you use your shotgun for slug shooting you need a rear sight that provides quick accurate shooting. The Series 53 shotgun slug sight turns your birdgun into a deadly deer rifle at 100 yards Series 53 sights can be fitted to most slug shooting shot guns See Sight Selection Chart

Simple precise windage and elevation adjustments Mounts low on the receiver

· Detaches quickly for wing shooting

Price Series 53 Receiver Sight

Here's a 50 yard group shot with a 12 gauge pump shotgun equipped with a series 53 shot gun slug sight

ORDER FROM SIGHT SELECTION CHART - PAGE 13



11

MIDDLE

16 A 16 A

16 B 16 A

16 B

16 A

12 SF

16 A 12 SF 12 S 16 B 12 SS 12 SS

12 SF

12 SF

16 A 12 SS 12 S

12 SF 12 SS

12 SS

16 A 12 SS

12 SF

12.5

12 SS

None

12 S

Lyman Hunting Front Sights





No. 3 - 1/16" BEAD No. 28 - 3/32" BEAD

No. 3 and No. 28 FRONT SIGHTS

Identical except for bead size Available in nine heights and one base width First letter stands for height and second letter width Example 3FF Ivory "3" 1/16" bead "F" 330 high "F" 17/32" base Choice of ivory or gold bead

Price





F BASE 17/32"

No. 31 - 1/16" BEAD No. 37 - 3/32" BEAD

No. 31 and 37 FRONT SIGHTS

Identical except for bead size Available in ten heights and three widths First letter stands for height and second letter base or width Example 31 HC gold is "31" 1/16 bead "H" 360 high "C" 7/16 base

TO SCALE

\$2.60

Use "A" width in ramps C width in ramps or barrel dovetails
F width in barrel dovetail

Choice of ivory or gold bead Price

		_	1	1	1	1	1	1			
	240	290	.330	.345	.360	390	410	445	.500	560	HEIGHT*
A BASE—11/32"	ВА	CA	FA	GA	НА	JA	KA	MA	SA	VA	
C BASE—7/16"	NOT AVAIL.	CC	FC	GC	НС	JC	KC	MC	SC	VC	*OVERALL HEIGHT INCLUDING DOVETAIL
F BASE—17/32"	NOT AVAIL	CF	FF	GF	HF	JF	KF	MF	SF	VF	SIGHTS SHOWN TO SCALE

SEE SIGHT SELECTION CHART ON PAGE 13

SPECIAL DOVETAIL FRONT SIGHTS

(THESE SIGHTS HAVE SPECIAL NARROW DOVETAILS)

FOR LEE ENFIELD - A special No 3 or No 28 front sight is available for the British Lee Enfield These sights are made in one height only 344 high and fit Enfield Models 1, 2, 3, 4 and 5 Carbine Base width is % Choice of ivory or gold bead \$2.60

FOR US 1917 ENFIELD & BRITISH 1914 — A special No 3 or No 28 front sight is available for these Enfield models These sights are made in one height only, 344 high Base width is % Choice of ivory or gold bead \$2.60

FOR MAUSERS - A special No 3 or No 28 front sight is available for the narrow Mauser dove tail These sights are made in three heights (see chart on right) Base width is 15/32 Choice of ivory or gold bead No 3 has 1/16 bead No 28 has 3/32 bead \$2.60

FOR SAVAGE 24 — A special No 22 sight is available for the Savage model 24. This hunting front sight will quickly replace the factory sight and is available with either 1/16 or 3/32 bead. Choice of ivory or gold. Specify size and color of bead desired. \$3.80



No 3LE (with 1/16" bead) No. 28LE (with 3/32" bead) No 3E17 (with 1/16" bead) No. 28E17 (with 3/32" bead)

No 3X Mauser 312 high No 3 Mauser 360 high No 3FN Mauser 421 high No 28X Mauser 312 high No 28 Mauser 360 high No 28 Mauser 360 high No 28FN Mauser 421 high



ORDER BY SIGHT NUMBER. WHEN IN DOUBT, SPECIFY FOR WHAT MAKE, MODEL AND CALIBRE RIFLE

		W	INCHEST	ER			SAV	AGE (Co	nt'd)			
RIFLE	REC SIGHT	BEAD FRONT SIGHT W/ REC SIGHT	BEAD FRONT SIGHT W/ OPEN REAR	TARGET FRONT SIGHT	MIDDLE	FRONT SLOT BLANK	REAR SLOT BLANK	RIFLE	REC SIGHT	FRONT SIGHT W/ REC SIGHT	BEAD FRONT SIGHT W/ OPEN REAR	TARGET FRONT SIG
07	66 MA	3 & 28 HF	3 & 28 HF	17 A HB	16 B	12 55	12 SS	Sav 40-45	40 S	31 HA 37 HA	31 HA 37 HA	17 A HB
43	57 A			17 A HB	16 B	12 SF	12 5	Sav 340 342	40 SS	None	None	None
47	57 ES	3 VF. 28 VF		17 A UG	16 A	12 SS	12 SS	Sav 99 EG	57 SA	31 MC 37 MC	31 MC 37 MC	None
52 Sporter	48 F				None	12 SF	None	R,F				
arget	48 FH			77 R W/ KK				Sav New Models with thumb lafety	57 SB	31 MC 37 MC	31 MC 37 MC	None
new High o Stock	524 F	None	None	77 H W/ A	None	None	None	Sav 110 & 111 MCL	48 WJS 57 WJS	31 JA 37 JA	31 JA 37 JA	None
52 Target Low Comb	524 F 48 F	None	None	77 R W/ AK	None	12 SS	None	Sav 29	66 R 12	3 HF 28 HF 31 HF 37 HF	3 CF 28 CF 31 CF 37 CF	17 A M1
54	48 WJS 57 WJS		31 HA, 37 HA		16 A	12 SF	12 \$			н	JSQVAR	NA
55 LA	66 A	3 HF 28 HF 31 HF, 37 HF	3 CF 28 CF 31 CF 37 CF	17 AHI	16 B	12 SS	12 \$	Hangaria Laga Rag Re	48 FN 57 FN	31 HA. 37 HA	31 HA 37 HA	17 A HB
55 SS to	57 MR	3 SF 28 SF 31 SF, 37 SF	3 MF 28 MF 31 MF, 37 MF	17 A SF	16 B	12 SS	12 S	H q Smrll R g R HVA L ght	48 HVA 57 HVA	31 HA 37 HA	31 HA 37 HA	17 A HB
61	66 R 12	3 MF 28 MF 31 MF, 37 MF	3 FF 28 FF 31 FF, 37 FF	17 A MI	16 8	12 \$\$	12 SS	Red HVA Light weight and Presentation				
62	None	None	3 HF 28 HF 31 HF, 37 HF	17 A HI	16 B	12 \$\$	12 55	Presidential			MARLIN	
63	66 MB	3 MF 28 MF 31 MF 37 MF		17 A MI	16 B	12 SS	12 SS	Marin 36 Carbine	66 MB	3 SF 28 SF 31 SF 37 SF	3 NF 28 NF 31 NF 37 NF	17 A SF
64	66 A	31 CA, 37 CA	31 CA, 37 CA	17 A HB	16 B	12 SF	12 5	M 1 36 A	66 MB	31 JA 37 JA	31 HA 37 HA	None
65	66 A	31 HA 37 HA	31 HA 37 HA	17 A HB	16 B	12 SF	12 S	Ma In 39 A	66 MC	31 CA 37 CA	31 CA 37 CA	17 A HB
Safety	57 ES	3 MF 28 MF		17 A MI	16 B	12 55	12 \$5	Marl n 56 57 99	66 MD		31 HA 37 HA	17 A HB
69	55 RWS 57 EW	31 MF, 37 MF 3 MF 28 MF	3 FF 28 FF	17 AMI	16 B	12 SS	12 SS	Marl n 80 & 81	57 MR	3 MF 28 MF 31 MF 37 MF	3 JF 28 JF 31 JF 37 JF	17 A MI
nd Receiver	60 EWL	31 MF 37 MF		17 AMI	10 11	12 00		Ma 88 89 98	None		31 HA 37 HA	17 A HB
69	00 ESH	0 445 00 445		77 RW/K Base				Marlin 93	66 MB	3 VF 28 VF		17 A UG
Side Rec	57 EF	3 MF 28 MF 31 MF, 37 MF	None	17 A SF	None	12 SS	None			31 VF, 37 VF	31 MF, 37 MF	
70 STD	48 WJS 57 WJS		31 CA 37 CA		16 B	12 SF	12 5	Marlin 100 & 101	55 RWS		31 JF 37 JF	17 A Mł
70 Feather	48 WJS	31 CA 37 CA	31 CA 37 CA	17 A HB	16 A	12 F	12 S	Marlin 455	57 FN 48 FN	31 MA 37 MA	31 MA 37 MA	

12 SF

12 SF

12 SS

16 B 12 SS 12 SS

16 B 12 SS 12 S

None

None

66 W 77 3 SF 28 SF 3MF 28 MF 17 A SF 16 B 31 SF 37 SF 31 MF 37 MF 66 W 88 31 JA 37 JA 31 FA 37 FA None 16 A 66 A 31 CA 37 CA 31 CA 37 CA 17 A HB 16 B 66 W 88 31 JA 37 JA 31 FA 37 FA None 16 A 66 W 88 31 JA 37 JA 31 FA 37 FA None 16 A

None

Win 0 Win 4 Win 4 Win 5 52 Tai Win r comp Old 5 Old L Stock

Wn 5

Wn 6 Wn 6 Alter Wn 6 Round

Rem 8 & 81

Rem 141

Rem 25

Rem 12 & 121

Rem 24 & 241 Rem 33 & 34 Rem 41 A

Rem 513T Pam 521 T Rem 550

Rem 760 740

Rem 740 742 New

Rem 40

Sav 19

Sav 23A 23 AA

Sav 24 219

Sav 23 B C D

66 RH

524 WJS

53 D

31 MA 37 MA 31 MA 37 MA None

31 JA 37 JA 31 JA 37 JA None

57 TS 3 MF 28 MF 3 JF 28 JF 17 A MI 31 MF, 37 MF 31 JF 37 JF 17 A UG 57 SS 3 VF 28 VF rlone 17 A UG

31 VF, 37 VF 57 SS 3 MF 28 MF 3 MF 28 MF 17 A MI 55 RWS 31 MF, 37 MF 31 MF, 37 MF 42 SW 3 MF 28 MF 3 MF 28 MF 17 A MI 55 RWS 31 MF, 37 MF 31 MF, 37 MF

#22 on Model #22 on Model None

Ma In 336 w th amp	66 LA	31 JA 37 JA	31 HA 37 HA	None	16 A	12 SF	12 S
		1	MOSSBER	RG			
Mossberg 144 LS	57 MS	3 MF 28 MF 31 MF 37 MF	3 MF 28 MF 31 MF 37 MF	17 A MI	None	12 SS	None
Mq sb g 250 K 342 K 350 K 351 K 352 K	57 MS	3 MF 28 MF	3 MF 28 MF 31 MF, 37 MF	17 A MI	None	12 \$\$	None
Mossberg 320 K 340 K 346 K 620 K, 640 K	None	3 MF 28 MF 31 MF 37 MF	3 MF 28 MF 31 MF 37 MF	17 A MI	None	12 SS	None
Mossberg 340 B 346B	None	Ramp W/	19 A Screw on Ramp W/ 31 HA 37 HA	Ramp W/	None	None	None
Mossberg 400	66 MC	3 SF 28SF 31 SF 37 SF	3 MF 28 MF 31 MF 37 MF		None	12 \$\$	None
Masshern 320 B	57 AAT	3 MF 28 MF	3 MF 28 MF	17 A.M	16 B	12 SS	12 \$5

								351 KA					
		R	EMINGT	ON							MAUSER	3	
	None	None	3 FF 28 FF	None	None	None	Rem Spec	Mauser as Issued 1891				Ī	
	66 R 12	3 MF 28 MF 31 MF, 37 MF	3 HF 28 HF 31 HF, 37 HF	17 A MI	16 8	12 55	12 \$\$	1893 1894 1895 1896	48 M	3 Mause	3 Mauser 312	17 A Mau	16 A V
	66 A	3 JF, 28 JF	3 JF, 28 JF	17 AM I	16 A	12 SS	12 5	1898 1904 1909 1936	57 SME	28 Mauser	28 Mauser 312		25 A Ba
	66 A	3 FF 28 FF 31 FF, 37 FF	3 FF, 28 FF 31 FF, 37 FF	17 A HB	16 A	12 55	12 S	G 33/40			012		
	66 R 12	3 MF 28 MF 31 MF 37 MF		17 A MI	16 B	12 SS	12 SS	Mauser Sporters 1891 1893 1894 1895 1896 1904					
	66 A	3 VF 28 VF 31 VF, 37 VF	3 MF 28 MF 31 MF, 37 MF	17 A UG	16 A	12 \$\$	12 SS	1909 1936 G 33/40	48 M 57 SMF	Ramp & Sight Comb see	Comb see	Ramp & 17 A HB	16 A W 25 A Ba
	57 ES 55 RWS	3 HF 28 NF 31 NF 37 NF	3 FF 28 FF 31 FF 37 FF	17 A MI	16 B	12 SS	12 \$9			Ramp Chart	Ramp Chart		
7	57 RS	3 MF 28 MF	3 FF 28 FF	17 A MI	None	12 SS	None	1			N MAUS		
+	55 RWS 57 RS	3 MF 28 MF	3 JF 28 JF	17 A MI	None	12 SS	None	FN all models	48 FN 57 FN	3 FN 28 FN	3 FN 28 FN	None	16 A W 25 A Ba
-	55 RWS 57 RS	31 MF, 37 MF		17 A MI	16 B	12 SS	12 S\$	-			ENFIELD)	
	55 RWS	31 MF 37 MF		12 A MI	100	14 00	12 00	F 5 0 1) 5 1 1	10.00		3 Enf 28 Enf		16 A W
	60 RSH	None	None	77 R W/ 513 Base	None	None	None	Enfeld Britsh Issue-1914 US 1917	48 RS 57 SME (Alter	3 Ent. 28 Ent	3 Ent 20 Ent	None	25 A Bas
\neg	57 RS	31 MC 37 MC	31 HC 37 HC	17 A MI	None	12 SS	None	1 00 ////	Receiver)				
+	55 RWS 57 ES 55 RWS	3 SF 28 SF 31 SF, 37 SF	3 HF 28 HF 31 HF, 37 HF	17 A SF	None	12 SS	None	Enfield British Spo te 1914 Us 1917	48 RS 57 SME	Ramp & Sight Comb See Ramp Chart	Ramp & Sight Comb See Ramp Chart	None	16 A W 25 A Ba
	66 R 22	3 HF 28 HF 31 HF, 37 HF	3 HF 28 HF	17 A HI	16 B	12 \$\$	12 SS	Lee Enfeld	48 LE 57 LE	3 LE 28 LE	3 LE 28 LE	None	16 A W 29 A Ba
	48 WJS 57 WJS		31 HA 37 HA	17 A HB	16 A	12 SF	12 S	Lee Enfield 4 & 5	57 LE 4 & 5	3 LE 28 LE	3 LE 28 LE	None	16 A W 29 A Ba
	48 WJS 57 WJS	None	None	None	16 A w/ #2 D T Base	None	None			В	ROWNII		
7	66 R	31 CA 37 CA	31 CA 37 CA	17 A HB	16 B	12 SF	12 \$	22 of Auto	66 A	3 VF 28 VF	3 MF 28 MF 31 MF 37 MF	17 A MI	16 B

22 of Auto leiding Bowning HilPower	66 A 48 FN 57 FN	3 VF 28 VF 31 VF 37 VF None	3 MF 28 MF 31 MF 37 MF	17 A MI	16 B Nome	12 5S N vee	12 SS None
			RUGER				
Riger Deerstelke Riger 10/22	66 RU 66 RU	31 MA, 37 HA 31 MA, 37 MA	31 MA 37 MA 31 KA 37 KA	Name	16 A 16 B	12 SF 12 SF	12 S 12 S

		SP	RINGFIE	LD _			
Springfield 1903	48 S 57 SME	26 NA 32 NA	26 NA 32 NA	17 A XNA	16 A W/ 25 B Base	None	None
Spingfield 1903 Sporter	48 S 57 SME	Ramp & Sight Comb See Ramp Chart	Ramp & Sight Comb See Ramp Chart	17 A XNA	16 A W/ 25 B Base	None	None
Spr ngfeld 03 A3	48 03A3 57 03A3	26 UA 32 UA	26 UA 32 UA	17 A XNA W/Band	16 A W/ B Base	None	None
Springfield 03A3 Sporter	48 03A3 57 03A3	Ramp & Sight Comb See Ramp Chart	Ramp & Sight Comb See Ramp Chart	17 A XNA W/ Band	16 A W/	None	None
Spingfield 22 Cal	48 S	26 FA 32 FA	26 FA 32 FA	17 A XFA	None	None	None



YMAN EASY LOADER SHOTSHELL **CONVERSION KITS**

Converting your Easy Shotshell Reloader from one gauge, or crimp, to another is accomplished using COMBINA-TIONS of the four conversion Units A. B. C and D.

This unique idea affords the shooter with a high degree of versatility at a very low cost. It allows him to purchase the specific parts he requires without duplication.

Kit A is the basic gauge conversion Unit. This kit is always necessary when you change gauge. You must also have either B, C and/or D. These Kits contain parts to convert the crimping die to different types of crimp. When ordering conversion Kits, check the chart below for the specific kits you require

RIT	KIT A —	Basic gauge conversion unit (crimping equipment not included), always required when converting to another gauge. Available in 10, 12, 16, 20, 28 or 410 gauge. Specify gauge when ordering
KIT	KIT B —	Fold crimping unit, which contains parts to convert the fold crimping die to another gauge. Available in 12, 16, 20 or 28 gauge. Specify gauge when ordering
KIT C	кіт с —	Roll crimp activator unit which fits all gauges. This unit is required to convert from fold to roll crimping

KIT D -

When ordering kits, check the chart below for the specific kits you require. ALWAYS SPECIFY KIT LETTER AND GAUGE

Roll crimping unit, which contains parts to convert the roll crimp-

ing die to another gauge. Available in 10, 12, 16, 20 or 410 gauge Specify gauge when ordering \$9.50

TO CONVERT		ESE GAUG			D BELOW								
•	10 GA	12 GA	12 GA	16 GA	16 GA	28 GA	20 GA	28 GA	410 GA				
	Roll Crimp	Fold Crimp	Roll Crimp	Fold Crimp	Roll Crimp	Fold Crimp	Roll Crimp	Fold Crimp	Roll Crimp				
EASY STANDARD LOADER	KIT		KIT	KIT	KIT	KIT	KIT	KIT	KIT				
12 GAUGE	A C & D		C & D	A & B	A C & D	A & B	A C & D	A & B	A C & D				
EASY STANDARD LOADER 16 GAUGE	A C & D	KIT A & B	KIT. A. C. & D		KIT C & D	KIT A & B	KIT A C & D	KIT A & B	KIT A C & D				
EASY STANDARD LOADER	KIT	KIT	KIT	KIT	KIT		KIT	KIT	KIT				
20 GAUGE	A C & D	A & B	A C & D	A & B	A C & D		C & D	A & B	A. C & D				
EASY STANDARD LOADER 28 GAUGE	A C & D	KIT A & B	KIT A C & D	KIT A & B	KIT A. C. & D	KIT A & B	KIT A C & D		KIT A. C. & D				
EASY ROLL CRIMP		KIT	KIT	KIT	KIT	KIT	KIT	KIT	KIT				
Model — 10 gauge		A & B	A & D	A & B	A & D	A & B	A & D	A & B	A & D				
EASY ROLL CRIMP	KIT	KIT	KIT	KIT	KIT	KIT	KIT	KIT					
Model — 410 gauge	A & D	A & B	A & D	A & B	A & D	A & B	A & D	A & B					

WHEN ORDERING KITS A. B & D ALWAYS SPECIFY GAUGE.



EASY LOADER POWDER AND SHOT BUSHINGS

Easy Shotshell Reloaders and Conversion Kits are furnished complete with a set of shot and powder bushings. The following is a list of bushings which are furnished as standard with Loaders, and Conversion Kits.

10 gauge H20 and HF 12 gauge H11A and HG 16 gauge H11 and HF 20 gauge H8 and HD 28 gauge H6 and HC 410 gauge H1 and HA

15

A complete list of available bushings is shown below. Those who wish to vary their loads can purchase extra sets of these bushings Refer to Lyman Handbook #44 for recommended loads.

SHOT BUSHINGS

HA — 1/2 oz.	HD — 7/8 oz	HG - 1-1/8 oz	HL — 1-5/8 oz.
HB — 5/8 oz	HF — 1 oz. (also used	HH — 1-1/4 oz.	HM — 1-3/4 oz
HC — 3/4 oz	for 2 oz. by operating	HJ = 1-3/8 oz	HO - 1-7/8 oz
	shot slide twice)	HK - 1-1/2 oz.	

POWDER BUSHINGS

HERCULES						DUPONT					ALCAN			HODGEDON			WINCHESTER		
Bushing No	RED DOT	GREEN DOT	UNIQUE	HERCO	2400	4227	84	4756	2066	700X	AL5	AL7	ALS	TOP MARK	HS5	HS6	450	200	540
H1					15.0									140	17.0	160			
H2					160	15.5		11.0				_	11.5	150	18.5	17.5	15.5	190	
Н3					17.0	16.5		12.0					12.5	16.0	19.5	190	16.8	20.0	18.5
H4			13.5		18.0	18.5		13.0					13.5	17.5	21.0	20.0	18.0	22.0	20.5
H5			16.0	13.5		21.0		15.0		120			15.5	20.0	24.0	23 0	20.5	25.0	23 5
H6		130	18.0	16.0				17.0	140	14.0		21 0	18.0	23.0	28.0	27.0	24.0		27.0
H7		15.0	20.5	18 0				19.5	16.0	16.0		23.0	20.0	26.0	32.0	30 5	27.0		30.5
Н8	16.0	16.5	22.0	19.5				21.0	17.0	17.0	25.5	25.5	22.0		34.5	33.0		35.5	33.0
H9	16.8	17.0	23.0	20.3				22.0	17.5	17.5	26.0	26 0	22.5		36.0	34.0		37.0	34.5
H10	17 0	17.5	23.3	20.5				223	18.0	180	27.0	27.0	23.0		36.5	35 0		37.6	35.0
H11	18.0	18 5	25.0	22.5				24.0	19.0	19.0	28.5	28.5	24 5		39.0	37.0		40.5	37.5
H11A	19.0	19.5	26 5	23.5				25.0	20.0	20.0	30 0	30.0	26 0		41.0	39.0		42.5	39.5
H12	20.0	20.5	27.5	24 5				26.0	21.0	21.0	31.0	31.0	27.0		43.0	41.0		44.5	41.0
H13	21.0	22.0		26.0				28 0	22.5	22.5	33.5	33.5	29.0			43.5			43.5
H14	21.5	22.5		26.5				28 5	23 0	23.0	34.0	34.0	29.5			44.5			44.5
H15	22.0	23.0		27.0				29.0	23.5	23.5	35.0	35.0	30.0		48.0	45.5		49.5	45.5
H16	22.5	23.5		27.5				29.5	24.0	24.0	35.5	35.5	30 5						
H17	23.0	24.0		28 0				30.0	24.5	24.5	36.0	36 0	31.5		50.0			51.0	
H18		25.0		29.5			26.5	31.5	25.5	25.5	38.0	38.0	33.0						
H19				31.0			27.5	33.0	26.5	26.5	39.5	39 5	34.5			51.5			51.5
H20				33.0			29.5	35.0	28.5	28.5	42.0	42.0	36.5			55.0			55.0
H21				34.0			30.0	36.0	29.0	29.0	43.0	43.0	37 5			56.5			56.5
H22				36.0			32.0	38.5	31.0		46.0	46.0	40.0						
H23		31.0		37.0			33.0	39.0	31.5		47.0	47.0	41.0						
H24		32 2		38.0			34.0	40.5	32.5			49.0	42.5						
H25		35.5		42.0			37.5	45.0				54.0	47.0						
H26		38.5		46.0			41.0	49 0				59.0	51.0						

Extra Shot and Powder Bushings

\$1.50







LYMAN GUN SIGHT OF CANADA

72 STAFFORD ST.

TORONTO 3, CANADA